


INSERTOS TUDELA




**TUERCAS
REMACHABLES**
**RIVET
NUTS**



**TUERCAS
INSERTABLES**
**SELF CLINCH
NUTS**



**PERNO
INSERTABLE**
**SELF CLINCH
STUDS**



**SEPARADOR
INSERTABLE**
**SELF CLINCH
STANDOFFS**



INSERTOS TUDELA

De la experiencia de Remaches Tudela en el sector de la fijación nace Insertos Tudela, una de las gamas mas completas del mercado en cuanto a Insertos nos referimos, desde las Tuercas Remachables de mayor rotación hasta las Tuercas Remachables mas especiales y con posibilidad de fabricación especial bajo plano.

Además contamos con 3 nuevos productos como son las Tuercas, Pernos y Separadores autoinsertables, siguiendo nuestra filosofía de marca, ofrecemos un producto de la mas alta calidad a un precio justo, contando con un amplio STOCK, podemos garantizar un servicio acorde con las necesidades del mercado.

From the experience of Remaches Tudela in the fastener world, born Insertos Tudela, one of the most complete range in the sector, when we speak about Inserts, from the Rivet Nuts of high rotation up to more specials and with the possibility to produce under technical drawing. Further more, we have introduced 3 new products as they are Self Clinch Nuts, Self Clinch Studs and Self Clinch Standoff, following with our brand philosophy, we offer a product with high quality with a correct price, also we have a big STOCK in order to guarantee a service according market necessities.



REMACHES TUDELA

SECTORES PARA LOS QUE TRABAJAMOS

SECTORS WE WORK FOR



AUTOMOCIÓN
AUTOMOTIVE



EÓLICA
WIND POWER



SOLAR
SOLAR POWER



CUADROS ELÉCTRICOS
ELECTRIC PANELS



ELECTRONICA EN GENERAL
GENERAL ELECTRONICS



MONTAJES DE ALUMINIO
ALUMINUM MOUNTS



MOBILIARIO EN GENERAL
GENERAL FURNITURE



CARPINTERÍA METÁLICA
METALLIC CARPENTRY



INDUSTRIA EN GENERAL
INDUSTRY IN GENERAL



TUERCA REMACHABLE RIVET NUT

MATERIALES DISPONIBLES AVAILABLE MATERIALS



ACERO
STEEL



ACERO INOX A2
ST. STEEL A2



ACERO INOX A4
ST. STEEL A4



ALUMINIO
ALUMINIUM

TIPOS DE CUERPO BODY TYPES



CILINDRICA RANURADA
CYLINDRICAL KNURLED



SEMI HEXAGONAL
SEMI HEXAGONAL



HEXAGONAL
FULL HEXAGONAL



TREBOL
TRIFORM

TIPOS DE CABEZA HEAD TYPES



ANCHA
FLAT



REDUCIDA
REDUCED



AVELLANADA
COUNTERSUNK




ABIERTO
OPEN



CERRADO
CLOSED

FONDO END

APLICACIÓN APPLICATION



REMACHES TUDELA



MATERIAL

Métrica	Acero Cincado Steel	Acero Inoxidable A2 A2 Stainless Steel	Acero Inoxidable A4 A4 Stainless Steel	Aluminio Aluminium
M.3	X	X		X
M.4	X	X	X	X
M.5	X	X	X	X
M.6	X	X	X	X
M.8	X	X	X	X
M.10	X	X		X
M.12	X	X		X

OTRAS MÉTRICAS CONSULTAR
OTHER METRICS CONSULT

MATERIAL: ACERO / STEEL

Cuerpo/Body	Trébol/Triform	
Cabeza/Head	Ancha/Flat	
Fondo/End	Abierto Open	Cerrado Closed
M.3	X	
M.4	X	
M.5	X	
M.6	X	
M.8	X	
M.10	X	
M.12		

MATERIAL: ACERO CINCO / STEEL

Cuerpo/Body	Cilíndrico Ranurado / Cylindrical Knurled						Semi-Hexagonal				Hexagonal			
Cabeza/Head	Ancha / Flat		Reducida / Reduced		Avellanada / Countersunk		Ancha / Flat		Reducida / Reduced		Ancha / Flat		Reducida / Reduced	
Fondo/End	Abierto Open	Cerrado Closed	Abierto Open	Cerrado Closed	Abierto Open	Cerrado Closed	Abierto Open	Cerrado Closed	Abierto Open	Cerrado Closed	Abierto Open	Cerrado Closed	Abierto Open	Cerrado Closed
M.3	X													
M.4	X	X	X	X	X	X	X	X	X	X	X	X	X	X
M.5	X	X	X	X	X	X	X	X	X	X	X	X	X	X
M.6	X	X	X	X	X	X	X	X	X	X	X	X	X	X
M.8	X	X	X	X	X	X	X	X	X	X	X	X	X	X
M.10	X	X	X	X	X	X	X	X	X	X	X	X	X	X
M.12	X		X											

MATERIAL: ACERO INOXIDABLE A2 / A2 STAINLESS STEEL

Cuerpo/Body	Cilíndrico Ranurado / Cylindrical Knurled						Semi-Hexagonal				Hexagonal			
Cabeza/Head	Ancha / Flat		Reducida / Reduced		Avellanada / Countersunk		Ancha / Flat		Reducida / Reduced		Ancha / Flat		Reducida / Reduced	
Fondo/End	Abierto Open	Cerrado Closed	Abierto Open	Cerrado Closed	Abierto Open	Cerrado Closed	Abierto Open	Cerrado Closed	Abierto Open	Cerrado Closed	Abierto Open	Cerrado Closed	Abierto Open	Cerrado Closed
M.3	X		X											
M.4	X	X	X	X	X	X	X	X	X	X	X		X	
M.5	X	X	X	X	X	X	X	X	X	X	X		X	
M.6	X	X	X	X	X	X	X	X	X	X	X		X	
M.8	X	X	X	X	X	X	X	X	X	X	X		X	
M.10	X	X	X	X	X	X	X	X	X	X	X		X	
M.12	X		X											

MATERIAL: ACERO INOXIDABLE A4 A4 STAINLESS STEEL

Cuerpo/Body	Cilíndrico Ranurado / Cylindrical Knurled					
Cabeza/Head	Ancha / Flat		Reducida / Reduced		Avellanada / Countersunk	
Fondo/End	Abierto Open	Cerrado Closed	Abierto Open	Cerrado Closed	Abierto Open	Cerrado Closed
M.3						
M.4	X		X			X
M.5	X		X			X
M.6	X		X			X
M.8	X		X			X
M.10						X
M.12						

MATERIAL: ALUMINIO / ALUMINIUM

Cuerpo/Body	Cilíndrico Ranurado / Cylindrical Knurled					
Cabeza/Head	Ancha / Flat		Reducida / Reduced		Avellanada / Countersunk	
Fondo/End	Abierto Open	Cerrado Closed	Abierto Open	Cerrado Closed	Abierto Open	Cerrado Closed
M.3	X					
M.4	X		X			X
M.5	X		X			X
M.6	X		X			X
M.8	X		X			X
M.10	X		X			X
M.12	X					



TUERCA INSERTABLE SELF CLINCH NUT

MATERIALES DISPONIBLES AVAILABLE MATERIALS



**ACERO AL CARBONO
CINCADO**
CARBON STEEL ZINC PLATED



**ACERO INOXIDABLE
SERIE 300 PASIVADO**
300 SERIES STAINLESS
STEEL PASSIVATED



**ACERO INOXIDABLE
ENDURECIDO PASIVADO**
HARDENING GRADE STAINLESS
STEEL PASSIVATED

TUERCAS SEGÚN EL MATERIAL DE INSTALACIÓN NUTS ACCORDING TO INSTALLATION MATERIAL

MATERIAL DE INSTALACIÓN INSTALLATION MATERIAL



ACERO
STEEL



ALUMINIO
ALUMINIUM



ACERO INOX.
ST. STEEL

TUERCAS DISPONIBLES AVAILABLE NUTS



ACERO AL CARBONO CINCADO
CARBON STEEL ZINC PLATED



ACERO INOXIDABLE SERIE 300 PAS.
300 SERIES STAINLESS STEEL PAS.



ACERO AL CARBONO CINCADO
CARBON STEEL ZINC PLATED






ACERO INOXIDABLE SERIE 300 PAS.
300 SERIES STAINLESS STEEL PAS.



ACERO INOXIDABLE ENDURECIDO PASIVADO
HARDENING GRADE STAINLESS STEEL PASSIVATED.

APLICACIÓN APPLICATION





MATERIAL

Métrica	Acero Cincado Steel	Acero Inoxidable Stainless Steel	Acero Inox. Endurecido Hardened St. Steel	Aluminio Aluminium
M.3	X	X	X	Consultar
M.4	X	X	X	Consultar
M.5	X	X	X	Consultar
M.6	X	X	X	Consultar
M.8	X	X		Consultar
M.10	X	X		Consultar

OTRAS MÉTRICAS CONSULTAR

OTHER METRICS CONSULT





PERNO INSERTABLE SELF CLINCH STUD

MATERIALES DISPONIBLES AVAILABLE MATERIALS



ACERO
STEEL



ACERO INOXIDABLE
STAINLESS STEEL




ACERO INOXIDABLE ENDURECIDO
HARDENED STAINLESS STEEL


TIPOS DE CABEZA HEAD TYPES



EMBUTIDA
FLUSH



NO EMBUTIDA
NON FLUSH



PERNOS SEGÚN EL MATERIAL DE INSTALACIÓN STUDS ACCORDING TO INSTALLATION MATERIAL

MATERIAL DE INSTALACIÓN INSTALLATION MATERIAL



ACERO
STEEL



ALUMINIO
ALUMINIUM



ACERO INOX.
ST. STEEL

TUERCAS DISPONIBLES AVAILABLE NUTS



ACERO
STEEL



ACERO INOXIDABLE
STAINLESS STEEL



ACERO
STEEL




ACERO INOXIDABLE
STAINLESS STEEL



ACERO INOXIDABLE ENDURECIDO
HARDENED STAINLESS STEEL

APLICACIÓN APPLICATION



REMACHES TUDELA



MATERIAL

Métrica	Acero Cincado Steel	Acero Inoxidable Stainless Steel	Acero Inox. Endurecido Hardened St. Steel	Aluminio Aluminium
M.2,5	X	X		Consultar
M.3	X	X	X	Consultar
M.4	X	X	X	Consultar
M.5	X	X	X	Consultar
M.6	X	X		Consultar
M.8	X	X		Consultar

OTRAS MÉTRICAS CONSULTAR
OTHER METRICS CONSULT





SEPARADOR INSERTABLE SELF CLINCH STANDOFF

MATERIALES DISPONIBLES AVAILABLE MATERIALS



ACERO
STEEL



ACERO INOXIDABLE
STAINLESS STEEL




ALUMINIO
ALUMINIUM


TIPOS DE ROSCA THREAD TYPES



PASANTE
THRU-HOLE



CIEGA
BLIND-HOLE



SEPARADORES SEGÚN EL MATERIAL DE INSTALACIÓN STANDOFFS ACCORDING TO INSTALLATION MATERIAL

MATERIAL DE INSTALACIÓN INSTALLATION MATERIAL



ACERO
STEEL



ALUMINIO
ALUMINIUM

TUERCAS DISPONIBLES AVAILABLE NUTS



ACERO
STEEL



ACERO INOXIDABLE
STAINLESS STEEL



ALUMINIO
ALUMINIUM



ACERO
STEEL




ACERO INOXIDABLE
STAINLESS STEEL



ALUMINIO
ALUMINIUM

APLICACIÓN APPLICATION





MATERIAL: SEPARADORES INSERABLES PASANTES

MATERIAL: THRU-HOLE SELF CLINCH STANDOFF

Métrica	Acero Cincado Steel	Acero Inoxidable Stainless Steel	Acero Inox. Endurecido Hardened St. Steel	Aluminio Aluminium
M.3	X	X	Consultar	X
3.5M.4	X	X	Consultar	X
M.4	X	X	Consultar	X
M.5	X	X	Consultar	X

OTRAS MÉTRICAS CONSULTAR
OTHER METRICS CONSULT

MATERIAL: SEPARADORES INSERABLES CIEGOS

MATERIAL: BLIND-HOLE SELF CLINCH STANDOFF

Métrica	Acero Cincado Steel	Acero Inoxidable Stainless Steel	Acero Inox. Endurecido Hardened St. Steel	Aluminio Aluminium
M.3	X	X	Consultar	X
3.5M.4	X	X	Consultar	X
M.4	X	X	Consultar	X
M.5	X	X	Consultar	X

OTRAS MÉTRICAS CONSULTAR
OTHER METRICS CONSULT



REMACHES TUDELA

Polígono Industrial Las Labradas
Calle Cantabria, Naves 14.8 y 14.9
Apartado de Correos, 31
31500 Tudela (Navarra), España

Tel.: 0034 948 82 71 21

Fax: 0034 948 41 46 18

ventas@remachestudela.com

www.remachestudela.com



Distribuido por:

